



1200 West Algonquin Road
Palatine, Illinois 60067-7398

847.925.6000
harpercollege.edu

Invitation to Bid
Furnish, Deliver and Install
Building M Recreation Center Equipment
Specification & Contract Document Number: Q00909

Bid Opening: 11:00 AM local time November 29, 2017

Non-Mandatory Pre-bid Meeting William Rainey harper College
Building A, Room A-315BC
1200 West Algonquin Road
Palatine, IL 60067

Return Bids To: Harper College Purchasing Department
Building A, Room A-217 1200 W.
Algonquin Road Palatine, Illinois
60067

Please mark the Return envelope: **Request for Bid Q00909**
Bid Opening Date & Time
Custodial Supplies

Number of Copies: Submit (3) Hard Copies
One additional copy of the Bid & Pricing on a CD or flash drive

Bid Deposit: None

Performance Material & Labor Payment Bond: None

Issued by: Jewell Jackson
Purchasing Manager

BIDS SUBMITTED BY FACSIMILE OR E-MAIL WILL NOT BE ACCEPTED

LEGAL NOTICE

Bid Notice

Official notice is hereby given that bids will be received in the Purchasing Department of Harper College, Building "A", Room A 217, 1200 West Algonquin Road, Palatine, Illinois 60067 until November 29, 2017 11:00 a.m. local time, at which time they will be publicly opened and read aloud to:

**Furnish, Deliver and Install
Building M Recreation Center Equipment
Specification & Contract Document Number Q00909**

The last day to submit questions is November 17, 2017 at 2:00 p.m. local time. Questions submitted after that date may not receive a written response. The bid deadline is November 29, 2017 at 11:00 a.m. local time. Questions should be addressed to Jewell Jackson at purchasing@harpercollege.edu.

A non-mandatory pre-bid meeting is scheduled for November 16, 2017 at the William Rainey Harper College Campus at 2:00 p.m. local time in Building A, Room A-315BC at 1200 West Algonquin Road, Palatine, IL 60097. Parties interested in submitting a bid are strongly encouraged to attend as this will be the only opportunity for an escorted visit of the site. **Bring Hard Hats in order to participate in the walk-through.**

No bids may be withdrawn for a period of 90 days after the submission without the consent of the Board of Trustees.

Bidding documents are available by contacting the Harper Purchasing Department at purchasing@harpercollege.edu. Any bid submitted unsealed, unsigned, fax transmission, email or received subsequent to the aforementioned date and time, may be disqualified and returned to the bidder.

Bidders shall comply with Business Enterprise Program: Participation and Utilization Plan developed by Harper College. There is a 20 percent aspirational goal on this contract.

The College reserves the right to reject any and all bids or parts thereof, to waive any irregularities or informalities in bidding procedures and to award the contract in a manner best serving the interest of the College.

HARPER COLLEGE
Jewell Jackson
Purchasing Manager

General Conditions

1. Definitions

The following terms when used in the contract documents shall be defined as follows:

College - Harper College

Owner - Harper College Bid -The offer of the Bidder

Bidder - The individual, corporation, or partnership who submits a bid.

Contract Documents - Legal Notice, instructions, general conditions, supplemental conditions, specifications, drawings, addendum, etc.

2. Term of Contract

The term of the contract will be for one year. All equipment shall be delivered to the College by May 15, 2018.

3. Intent of the Contract Documents

The contract documents are complimentary, and what is called for by one shall be as binding as if called by all. The intention of the contract documents is to include in the contract price the cost of all materials, equipment, bonds, transportation and all other expenses as may be necessary for the complete performance of the contract according to the contract documents.

4. Silence of Specifications

The apparent silence of specifications as to any detail or apparent omission from it as detailed description concerning any point shall be interpreted as meaning that only the best commercial material or practice shall prevail and that only items of the best material or workmanship to be used.

5. Contract Quantities

- A. Specific Quantities: Where quantities are specifically stated in the contract documents, the bidder shall deliver and the College pay for only such quantities as therein stated.
- B. Requirements: Where quantities are stated in the contract documents in terms of requirements, the bidder shall deliver all such quantities as are ordered by the College with the contract period at the unit price that is proposed.
- C. Estimated Quantities: Where quantities are stated in the contract documents in terms of estimated quantities, the bidder shall supply that quantity as specified by the College within the limits of more or less than ten percent (10%) of the estimate quantity so specified, unless otherwise stated within the specification.

6. No Use of College's Name

The bidder is specifically denied the right of using in any form or medium the name of the College for public advertisement unless the College has granted permission to the bidder to do so.

7. New Parts and Materials:

Equipment and material must be of current date (latest model or supply) and meet specifications. This provision excludes the use of surplus, re-manufactured or used products, whether in part or in whole, except where specifications explicitly provide therefore. Further, the bidder warrants that it has lien free title to all equipment, supplies, or materials purchased under the terms of this contract.

8. Subletting of Contract or Contract Funds

It is mutually understood and agreed that the bidder shall not assign, transfer, convey, sublet, or otherwise dispose of his contract or his right, title or interest therein, or his power to execute such contract, to any other person, firm, or corporation, without the previous written consent of the College and in no case shall consent relieve the bidder from his obligations, or change the terms of the contract.

9. Hold Harmless

The bidder agrees to indemnify, save harmless, and defend Harper College, its agent, servants, and employees, and each of them against and hold it and them harmless from any and all lawsuits, claims, demands, liabilities, losses, or expenses, including court costs or attorney fees for or on account of any injury to any person, or any death at any time resulting from such injury or any damage to any property, which may arise or which may be alleged to have arisen out of or in connection with the work covered by this contract.

10. Guaranties and Warranties

All guaranties and warranties required shall be furnished by the bidder and shall be delivered to the College before the final voucher on the contract is issued.

11. Delivery and Billing

A. Shipping: All materials shipped to Harper College must be shipped F.O.B. delivered designated location, Palatine, Illinois. If the delivery is made by truck, the bidder must make arrangements in advance in order that the College may schedule for receipt of the materials. The materials must then be delivered where directed. No deliveries will be accepted on Saturday, Sunday, or holidays.

- B. Packing Slips: All shipments or deliveries shall be accompanied by packing slips or delivery tickets and shall contain the following information for each item delivered:
 - 1. Purchase order number
 - 2. Name of the article and stock number
 - 3. Quantity ordered
 - 4. Quantity back-ordered
 - 5. Name of bidder

- C. Inspections: The College shall have the right to inspect any materials, components, equipment, supplies, services, or completed work specified herein. Any of the said items not complying with these specifications are subject to rejection at the option of the College. Any items rejected shall be removed from the premises of the College and/or replaced at the entire expense of the bidder.

12. Invoices: Mail All Invoices to:

Harper College
Accounts Payable
1200 W. Algonquin Road
Palatine, IL 60067-7398

13. Toxic Substances Disclosures

All bidders must comply with the requirements of the Toxic Substance Disclosure to Employees Act, for any materials, supplies, and covered by said Act.

14. "Equal Employment Opportunity"

In the event of the bidder's noncompliance with any provision of this Equal Employment Opportunity Clause, the Illinois Fair Employment Practices Act of the Fair Employment Practices Commission's Rules and Regulations for Public Contracts, the bidder may be declared non-responsible and therefore ineligible for future contracts or subcontracts with the State of Illinois or any of its political subdivisions or municipal corporations, and the contract may be cancelled or voided in whole or in part, and such other sanctions or penalties may be imposed or remedies involved as provided by statute or regulation.

During the performance of this contract, the bidder agrees as follows:

- a. That it will not discriminate against any employee or applicant for employment because of race, color, religion, sex, national origin or ancestry; and further that it will examine all job classifications to determine if minority persons or women are underutilized and will take appropriate affirmative action to rectify any such underutilization.

- b. That, if it hire additional employees in order to perform this contract, or any portion hereof, it will determine the availability (in accordance with the Commission's Rules and Regulations for Public Contracts) of minorities and women in the area(s) from which it may reasonably recruit and it will hire for each job classification for which employees are hired in such a way that minorities and women are not underutilized.
- c. That, in all solicitations or advertisements for employees placed by it or on its behalf, it will state that all applicants will be afforded equal opportunity without discrimination because of race, color, religion, sex, national origin or ancestry.
- d. That it will send to each labor organization or representative of workers with which it has or is bound by a collective bargaining or other agreement or understanding, a notice advising such labor organization or representative of the bidder's obligations under the Illinois Fair Employment Practices Act and the Commission's Rules and Regulations for Public Contract. If any such labor organization or representative fails or refuses to cooperate with the bidder in its efforts to comply with such Act and Rules and Regulations, the bidder will promptly to notify the Illinois Fair Employment Practices Commission and the contracting agency and will recruit employees from other sources when necessary to fulfill its obligations there under.
- e. That it will submit reports as required by the Illinois Fair Employment Practices Commission's Rules and Regulations for Public Contracts, furnish all relevant information as may from time to time be requested by the Commission or the contracting agency, and in all respects comply with the Illinois Fair Employment Practices Act and the Commission's Rules and Regulations for Public Contracts.
- f. That it will permit access to all relevant books, records, accounts and work sites by personnel of the contracting agency and the Illinois Fair Employment Practices Commission for purposes of investigation to Fair Employment Practices Commission for purposes of investigation to ascertain compliance with the Illinois Fair Employment Practices Act and the Commission's Rules and Regulations for Public Contracts.
- g. That it will include verbatim or by reference the provisions of paragraphs A through G of this clause in every performance subcontract as defined in Section 2.10 (b) of the Commission's Rules and Regulations for Public Contracts so that such provisions will be binding upon every such sub-bidder; and that it will also so include the provisions of paragraphs A through G in every supply subcontract as defined in Section 2.10 (a) of the Commission's Rules and Regulations for Public Contracts so that such provisions will be binding upon every such sub-bidder. In the same manner as with other provisions of this contract, the bidder will be liable for compliance with applicable provisions of this clause by all its sub-bidders; and further it will promptly notify the contracting agency and the Illinois Fair Employment Practices Commission in the event any sub-bidder fails or refuses to comply therewith. In addition, no bidder will utilize any sub-bidder declared by the Commission to be non-responsible and therefore ineligible for contracts or subcontracts with the State of Illinois or any of its political subdivisions or municipal corporations.

With respect to the two types of subcontracts referred to under paragraph G of the Equal Employment Opportunity Clause above, following is an excerpt of Section 2 of the FEPC's Rules and Regulations for Public Contracts:

Section 2.10. The term "Subcontract" means any agreement, arrangement or understanding, written or otherwise, between a bidder and any person (in which the parties do not stand in the relationship of an employer and an employee):

- a. for the furnishing of supplies or services or for the use of real or personal property, including lease arrangements, which, in whole or in part, are utilized in the performance of any one or more contracts; or
- b. under which any portion of the bidder's obligation under any one or more contracts is performed, undertaken or assumed.

15. Non Appropriations

The College reserves the right to terminate the whole or any part of this contract or to reject bids, in the event that sufficient funds to complete the contract are not appropriated by the College Board of Trustees.

16. Termination for Default

The College reserves the right to terminate the whole or any part of this contract, upon written notice to the bidder, in the event of default by the bidder. Default is defined as failure by the bidder to perform any provisions of this contract or failure to make sufficient progress so as to endanger performance of this contract in accordance with its terms. In the event of default and termination, the College may procure, upon such terms and in a manner as the Purchasing Department may deem appropriate, supplies or services similar to those so terminated. The bidder shall be liable for any excess cost for such similar supplies or services unless acceptable evidence is submitted to the Purchasing Department that failure to perform the contract was due to causes beyond the control and without the fault or negligence of the bidder.

17. Termination for Convenience

The College may terminate this contract at any time upon a written notice to the bidder, should it be determined that these services are no longer required or if sufficient funds are not available to cover the estimated requirement. Payment for work performed prior to the effective date of termination shall be based upon an estimate of the services actually performed, and shall be mutually agreed upon by the College and the bidder. Such payment so made to the bidder shall be in full settlement for services rendered under this contract.

Instructions to Bidders

The General Rules and Conditions which follow apply to all purchases and become a definite part of each formal legal notice, purchase order or contract issued by the Harper College, unless otherwise specified. Bidders or their authorized representatives are expected to fully inform themselves of the conditions, requirements and specifications before submitting bids. Failure to do so will be at the bidder's own risk and the bidder will not secure relief on the plea of error.

Definitions:

The following definitions shall apply wherever they appear in the contract documents. College:

Owner:	Harper College
Bid:	Harper College
Bidder:	The offer of the Bidder
Contract Documents:	The individual, corporation, or partnership who submits a bid. Legal Notice, instructions, general conditions, supplementary conditions, specifications, drawings, addendum, etc.

1. General

Bids shall be made in accordance with the instructions. Failure to execute bids, as required, may, in discretion of the College, be cause for rejection.

2. Forms

Bids should be submitted on the forms provided by the College.

3. Blanks & Corrections

All blank spaces on any contract document shall be filled in with typewritten figures or printed in ink. Any erasures or corrections shall be dated and initialed.

4. Submissions

All bids shall be submitted in a sealed envelope to the office of the Purchasing Department, Harper College 1200 W. Algonquin Road, Palatine, Illinois, 60067, by the specified opening time of the bids. The sealed envelope shall carry the following information on the face: bidder's name, address, subject matter of the bid, date and hour designated for the opening of bids as shown in the notice.

Where bids are sent by mail or courier service, the bidder shall be responsible for their delivery to the Purchasing Department prior to the designated date and hour for opening. If delivery is delayed beyond the date and hour set for the opening, bids thus delayed will not be considered and will be returned unopened. Bids transmitted by facsimile (fax) or Email will not be accepted.

No responsibility will be attached to the Purchasing Department or the College for the premature or non-opening of a bid not properly addressed and identified in the provided envelope, except as otherwise provided by law.

5. Examination of Documents

The bidder shall, before submitting his bid, carefully examine the specifications, project scope and work tasks to be accomplished, contract documents, bid, and insurance requirements. If his bid is accepted, he shall be responsible for, and the College will make no allowance for, any errors in his bid resulting from his failure or neglect to comply with these instructions.

6. Execution

Bid shall be signed. If the Bidder is a corporation, the bid shall bear the name of the corporation, signed by an officer authorized to bind the corporation.

7. Withdrawals

Bids may be withdrawn previous to the time of opening bids by written request. However, no offer shall be withdrawn within the ninety (90) calendar day period after the time set for the closing. Bidders withdrawing their bid prior to the time and date set for opening bids may still submit another bid if done in accordance with these instructions.

8. Words and Figures

Where amounts are given in both words and figures, the words will govern.

9. Unit Prices

When unit prices are called for, bids shall include all unit cost items and alternates shown on the bids. When an error is made in extending total prices, the unit price will govern.

10. Taxes

Harper College does not pay Federal Excise Tax or Sales Tax. A copy of the tax exemption letter is available upon written request.

11. Net Price

Bid prices shall be net, including therein transportation and handling charges, F.O.B. Harper College, and shall further include all charges of whatsoever sort of labor and materials contained in the work or materials designated in the specifications and bids.

12. Interpretations

Interpretations of meaning of any item in the contract documents shall be valid only if issued in writing by the owner or owner's representative designated in the contract documents.

13. Bid Deposit

When required on the cover sheet, all bids shall be accompanied by a bid deposit in the amount specified. Bid deposits shall be in the form of a certified check, cashier's check drawn on a responsible bank doing business in the United States and shall be made payable to the Harper College. All bids not accompanied by a bid deposit, when requested, may be rejected. Bid bonds will be accepted unless otherwise indicated in the specification. Bid deposits of the two lowest bidders will be returned after acceptance by the College of a satisfactory performance bond where such bond is required. If the bidder fails to produce the bond by the completion of the contract the bid deposit may be forfeited.

14. Alternate Equipment or Materials

A) Bids shall be evaluated and considered on equipment and/or material complying substantially with the contract specification. If any bidder deviates from the contract specifications or provides a substitute for any required equipment and/or materials listed in the contract specifications, the bidder shall list such deviations and/or substitutions, including technical data when applicable in a letter attached to the bid or on a form that may be provided by the College with the documents.

B) The College reserves the right to determine whether any deviations and substitutions listed by the bidder are within the intent of the contract specifications and will reasonably meet the service requirements of College.

C) When brand names or part numbers are indicated, it is for the purposes of establishing description or quality standards and not meant to be restrictive.

D) To be considered equal the item must meet the following minimum criteria: (1) it is at least equal in quality, durability, appearance, strength and design; (2) it will perform at least equally the function imposed by the general design for the work being contracted for or the material being purchased; and (3) it conforms substantially, even with deviations, to the detailed requirements for the item in the specifications.

15. Responsibility of Bidder

No contract will be awarded to any person, firm or corporation that is in whole or in part, in an unsatisfactory manner, in any contract with the Harper College, or who is a defaulter as to surety or otherwise upon any obligation to the Harper College.

16. College's Right to accept or Reject

The Harper College reserves the right to accept any bids, any part of a bid, or any combination of bids, which may be deemed to be in the best interest of the College. The Harper College further reserves the right to reject any or all bids.

17. Protest Procedure

Any bidder wishing to file a protest regarding the bid process may do so by giving written notice to the College Purchasing Department within seven calendar days of the closing time and date. This notice should include the title of the requirement, the closing date and the nature of the protest.

Any disputes concerning a question of fact under this bid which is not disposed of by agreement shall be decided by the College. The decision of the College for the determination of such appeals shall be final and conclusive unless determined by a court of competent jurisdiction to have been fraudulent, or capricious, or arbitrary, or grossly erroneous as necessary to imply bad faith, or not supported by substantial evidence. In connection with any appeal proceeding under this clause, the Contractor shall be afforded an opportunity to be heard and offer evidence in support of his appeal. Pending final decision of a dispute hereunder, the Contractor shall proceed diligently with the performance of the contract and in accordance with the decision of the College.

18. Awarding the Contract

The contract will be awarded to the lowest responsible and responsive bidder(s), meeting specifications. The intent of the College is to award to a contract to a single vendor; however, the college reserves the right to make multiple awards by category.

19. Affidavits

The following affidavits included in these contract documents must be executed and submitted with the bid.

- A) Certificate of Compliance Affidavit
- B) Affidavit/Anti-collision
- C) Tax Compliance
- D) Signature Sheet
- E) Proposal
- F) List of References
- G) Certificate of Compliance with Illinois Drug-free Workplace act
- H) Contractors Certification
Public Contractors – Written Sexual Harassment Policy

20. Alternate and Multiple Bids

Unless otherwise indicated in these documents, the bidder may not submit alternate or

multiple bids as part of this package. The submission of more than one bid within a single package may be cause for rejection of any or all of the bids of that bidder.

21. OWNER/CONTRACTOR INCLUSION

Respondents shall maintain for the duration of this contract and any extensions thereof insurance issued by a company or companies qualified to do business in the State of Illinois, as enumerated in Harper College’s insurance requirements. **Please state your professional liability coverage if applicable.**

Upon notice of acceptance, the successful bidder shall, within ten (10) calendar days of said notice, furnish to the College a certificate of insurance evidencing coverage by the types of insurance in the amounts specified below. Such coverage shall be placed with a responsible company acceptable to the College, licensed to do business in the State of Illinois, and with a minimum insurance rating of A: VII as found in the current edition of A M Best’s Key Rating Guide. Each policy shall bear an endorsement precluding the cancellation or reduction of said policies without providing Harper College at least thirty (30) days prior notice thereof in writing. All required insurance shall be maintained by the contractor in full force and effect during the term of the contract.

MINIMUM INSURANCE REQUIREMENTS:

General Liability	General Aggregate	\$1,000,000
	Personal Injury	1,000,000
	Each Occurrence	1,000,000
Excess Liability	Each Occurrence	1,000,000
	Aggregate	1,000,000
Automobile Liability	Bodily injury (each acc)	1,000,000
	Property damage (each acc)	1,000,000
Worker’s Compensation	Statutory Limits	
	Each accident	500,000
	Disease-Policy limit	500,000
	Disease-Each employee	500,000

Contractor shall cause each subcontractor employed by contractor to purchase and maintain insurance of the type specified above. When requested by the College, contractor shall furnish copies of certificates of insurance evidencing coverage for each subcontractor.

22. CERTIFICATION OF COMPLIANCE WITH ARTICLE 33E OF THE CRIMINAL CODE OF 1961

By signing and submitting the Bid Form to the Owner, the contractor/vendor certifies that the contractor is not barred from bidding on the contract as a result of a conviction for either bid-rigging or bid rotating under Article 33E of the Criminal Code of 1961 as amended.

23. PUBLIC CONTRACTORS – WRITTEN SEXUAL HARASSMENT POLICY

Public Act 87-1257, effective July 1, 1993, amends the Illinois Human Rights Act (Section 2-105) by requiring that every party to a public contract and every eligible bidder shall have a written sexual harassment policy that shall include, at a minimum, the following information.

- (i) illegality of sexual harassment;
- (ii) the definition of sexual harassment under state law;
- (iii) a description of sexual harassment, utilizing examples;
- (iv) the contractor's internal complaint process including penalties;
- (v) the legal recourse, investigation and complaint process available through the Illinois Department of Human Rights and the Human Rights Commission;
- (vi) directions on how to contact the Department and Commission; and
- (vii) protection against retaliation as provided by Section 6-101 of the Human Rights Act.

Finally, the contractor must provide a copy of such written policy to the Department of Human Rights upon request.

24. STATEMENT OF NONDISCRIMINATION

- A. That in the hiring of employees for the performance of work under this contract or any subcontract, no contractor, subcontractor, or any persons acting on his behalf, shall be reason of race, creed, or color, discriminate against any citizen of the State in the employment of labor or workers who are qualified and available to perform the work to which the employment relates.
- B. That no contractor, subcontractor, nor any person on his behalf shall, in manner, discriminate against or intimidate any employee hired for the performance of work under this contract on account of race, creed, or color.
- C. For the performance of the contract, the contractor shall agree as follows: That all contractors or subcontractors will comply with all state laws regarding discrimination. The contractor will take affirmative action to ensure that applicants are employed, and the employees are treated during employment, without regard to their race, color, religion, national origin, ancestry or sex.

25. SEX OFFENDER POLICIES

The contractor shall not send any employee or agent to any school building or school property who is a child sex offender as defined in the Child Sex Offender and Murderer Community Notification Law. At least quarterly, the contractor shall contact the local law enforcement authority where each employee or agent resides to determine if the employee

is on the list of registered felons who have committed sex offenses. The contractor also shall provide the district with the name and address of each employee who will perform work on school property and require, if requested, that the employee submit to a criminal history background investigation.

26. OWNER'S TAX EXEMPT STATUS

Contractor recognized that Owner is exempt for paying sales and use taxes and agrees to purchase and cause its Subcontractors to purchase all materials used in the Project at prices which take full advantage of Owner's tax exempt status. Owner agrees to provide to Contractor sufficient copies of evidence of Owner's tax exempt status to enable Contractor to perform its obligations set forth in the preceding sentence. Contractor will not, and will take all necessary steps to prevent its Subcontractors from using Owner's tax exempt status to reduce costs on any work other than the Project.

27. CONCEALED CARRY

The contractor/supplier acknowledges that firearms are prohibited on the College's campus except provided in Section 65 of the Firearm Concealed Carry Act, 430 ILCS 66/65. The Contractor shall inform its employees and subcontractors of this prohibition and shall strictly enforce it when on the College's campus. The supplier/contractor further agrees to consult and comply with Harper College's Board Policies regarding the possession of firearms on campus.

28. BACKGROUND CHECKS

The contractor agrees to conduct criminal background checks on each of its employees, as well as employees of its subcontractors, prior to sending them to the College. The College may request new background checks of any employee at any time. Such criminal background checks will be performed at Contractor's or Subcontractor's expense and at no additional cost to the College. If in the College's sole discretion objectionable information regarding any employee is discovered in the background check, such person shall not be allowed to continue working at the College. The minimum background check process shall include, but not be limited to, the following checks:

1. Social Security Number trace
2. Federal, State and County Criminal Background Checks
3. National Sex Offender Registry

29. CONTRACTING WITH MINORITY FIRMS AND WOMEN BUSINESS ENTERPRISE

The College has an aspirational goal of spending 20% of its budgeted expenditures with firms owned by minorities, females or persons with disabilities as required by Illinois Statute. Respondents to this request for bids shall comply with the provisions of the Business Enterprise program, and shall submit the appropriate Utilization Plan forms and/or Demonstration of Good Faith efforts checklist with their responses. The directory of BEP certified vendors can be found at the following website (<https://cms.diversitycompliance.com/>).

DETAILED SPECIFICATIONS

William Rainey Harper College is accepting bids for Building M Health and Recreation Center equipment as per the bid specifications and pricing sheet included herein. The equipment will be utilized in the newly renovated Center at Harper Campus and will serve students, faculty and the Community. The College expects that the equipment supplied will be uniform in appearance. All bids must be submitted in the manner and form prescribed by the specifications which control award of the contract(s). All equipment shall be new, current models and the most current versions of model being offered (most current model year). Pricing shall be based on current standard colors and the equipment shall be of high industrial commercial grade. Remanufactured and refurbished equipment is prohibited. All ancillary equipment required for the operation of the equipment shall be included in the bid.

All bids should include freight delivery, installation and all ancillary charges required to furnish deliver and install the equipment. Prices should be quoted F.O.B destination prepaid William Rainey Harper College, 1200 West Algonquin Road, Palatine, Illinois.

Purchases made by Harper College are exempt from state and local sales taxes, and bid prices must exclude any such taxes. Tax exemption certificates will be furnished upon request to the awarded bidder.

All bids shall be based on the quantities set forth on the attached bid form. These quantities shall be used as a basis for the comparison of the bid submission.

Deliveries are to be made between the hours of 7:00 am and 3:00 pm at Building B, Monday through Friday.

Where specific brand names are listed an approved equal can be offered. To be considered equal to the item so named or described item must meet the following minimum criteria: (1) it is at least equal in quality, durability, appearance, strength and design; (2) it will perform at least equally the function imposed by the general design for the work being contracted for or the material being purchased; and (3) it conforms substantially, even with deviations, to the detailed requirements for the item in the specifications. Approval shall be at the sole discretion of the college, and the decision of the College shall be final.

Delivery: All Equipment shall be delivered by May 15, 2018

Warranty: Strength equipment should include 10 year warranty on the frame and structural parts; 5 year warranties on weight stacks, pulleys and Integral bearings, 1 year warranties on cables and grips. Cardio equipment should include 3 year warranties for parts and labor. Pricing for Warranties should be included in the Base Bid Price.

Maintenance: Bidders shall provide on-site maintenance within 48 hours of request.

The successful bidder shall replace, repair or make good, without cost to the college any defects or faults arising within one (1) year after date of acceptance of articles furnished hereunder (acceptance not to be unreasonably delayed) resulting from imperfect or defective work done or materials furnished by the Vendor.

Harper College – Building M Recreation Center Equipment

Material Safety Data Sheets (MSDS) must be forwarded to Harper College within thirty (30) days after the bid award. All products must be properly labeled with the product name, manufacturer's name, address and emergency telephone number, ingredients, cautions, warnings, hazard rating and first aid.

Payment: Properly submitted invoices will be processed in accordance with the terms on the face of this Contract and as provided under the "Local Government Prompt Payment Act", 50 ILCS 505/1, et seq.

Basis of Award: Award will be based on the lowest responsive and responsible bidder(s) meeting specifications) as described herein and as determined by Harper College. It is the intent of the College is to award a contract to a single bidder. However, the college reserves the right to award contracts to multiple bidders by category should the college find it is in the best interest of the College.

Fuel Surcharges: Fuel surcharges shall not be added to this contract.

Item #	Specifications
	<p>SELECTORIZED STRENGTH EQUIPMENT</p> <p>Frame</p> <ul style="list-style-type: none"> •3mm/11 gauge thick flat oval tubing •Electrostatic powder coat finish for maximum durability <p>Grips</p> <ul style="list-style-type: none"> •Elliptical-shaped thermo rubber hand grips with aluminum collars <p>Tower</p> <ul style="list-style-type: none"> •Rep counter/timer used for accurate strength training and documentation. •Full front & back weight stack shrouds and pulley covers •Rubber Accessory Tray •Consistent low profile 58" tower (64" SLP & ADC). <p>Weight Plates</p> <ul style="list-style-type: none"> •Solid steel 15 lb. (7.5 kg) weight plates •Top weight plate is fitted with self-lubricated bushings •Magnetic weight selector pin locks into place •Dial Incremental Weight selection for adjustments between the 15lb intervals <p>Adjustments</p> <ul style="list-style-type: none"> •High visibility, color contrasting, yellow adjustment handles. •Ergonomic latex free rubber over molded adjustment handles. •Gas or torsional steel spring assisted (where applicable) make adjustments quick and easy. •4-bar seat adjustment mechanism with articulating seat angle technology •All adjustment are accessible with-in the machine.
	<p>Biomechanics</p> <ul style="list-style-type: none"> •Independent converging and diverging movements that correctly align with the user's joint movement, provide a natural, comfortable feel throughout the entire range of motion. •Variable cams & machine design replicate the body's natural strength profile <p>Instructional Placards</p> <ul style="list-style-type: none"> •QR code/ NFC placards pictorially illustrate the muscles trained, proper machine set up & use, for easy to follow instructions regardless of language. <p>Cable & Pulleys</p> <ul style="list-style-type: none"> •7 x 19 strand construction, lubricated, nylon-coated cables meet U.S. military Specifications. •4.5 inch diameter fiberglass-impregnated nylon pulleys with sealed ball bearings.

Item #	Specifications
	<p>Foot platforms</p> <ul style="list-style-type: none"> •All foot platforms are molded with a slip-resistant texture. <p>Cushions</p> <ul style="list-style-type: none"> •Ergonomically contoured cushions utilize a molded foam for superior comfort, support and increased durability. <p>Certifications</p> <ul style="list-style-type: none"> •ASTM F1749, F2571, F2216, F2276, F2277 •EN 957-1, 957-2 •EMC Directive 2004/108/EC •CA TB133 <p>Warranty</p> <ul style="list-style-type: none"> •10 year limited warranty on the structural frame (coatings excluded) •5 year on the pulleys, weight plates, & guide rods •1 year on the bearings, cables, & grips. •90 days on the upholstery, springs, & any items not specified.
1	<p>ASSIST DIP CHIN</p> <p>Weight: 732 lbs. Size: in. = 63.9”L x 58.5”W x 87.4” H</p> <ul style="list-style-type: none"> • Knee pads fold out of the way for unassisted training • Multiple hand positions allow for more exercise variety and accommodates different sized users • Additional steps allow for easy entry/exit <p>Combines two exercises into one machine</p>
2	<p>BICEPS CURL</p> <p>Weight: 550 lbs. Size: in. = 47.9”L x 62.7”W x 58.1” H</p> <ul style="list-style-type: none"> • Upper arm pads are configured to align elbow with axis of rotation • Independent arms allow for exercise variety <p>Handles pivot automatically to fit all forearm lengths</p>
3	<p>CHEST PRESS</p> <p>Weight: 725 lbs. Size: in. = 56.3”L x 56.6”W x 58.1” H</p> <ul style="list-style-type: none"> • Adjustable start lever allows users to control the range of motion from the seated position • Independent converging press arms produce a natural forward pressing movement for a superior feel
4	<p>CALF EXTENSION</p> <p>Weight: 770 lbs. Size: in. = 70”L x 41.5”W x 58.1” H</p> <ul style="list-style-type: none"> • Foot plate rotates through a natural arc of motion • Convenient seat height aids in the easy entry and exit from machine <p>Molded rubber foot plate ensures balanced foot position and encourages multiple repetitions</p>
5	<p>ABDOMINAL MACHINE</p> <p>Weight: 527 lbs. Size: in. = 52.4”L x 46.3”W x 58.1” H;</p> <ul style="list-style-type: none"> • Combination of elbow and backpads with hand grips provide upper body stabilization. Unique design allows natural crunch style movement for maximum abdominal contraction.

Item #	Specifications
6	<p>LATERAL RAISE MACHINE Weight: 555 lbs. Size: in. = 51.4"L x 52.5"W x 58.1" H</p> <ul style="list-style-type: none"> Independent and variable cams replicate the body's natural strength curve throughout the entire range-of-motion Pad positions are optimized for middle deltoid muscle stimulation Pivoting handles accommodate users of all sizes <p>Counterbalanced arms for lowering starting resistance</p>
7	<p>PECTORAL FLY/REAR DELTOID Weight: 657 lbs. Size: in. = 79.9"L x 77.6"W x 80.1" H</p> <ul style="list-style-type: none"> Independent variables cams replicate the body's natural strength curve throughout the entire range-of- motion Articulating arms accommodate the varying arm lengths of different-sized users Accommodates two exercises into one machine <p>Five pectoral fly start positions accommodate different users range of motion</p>
8	<p>PULLDOWN Weight: 689 lbs. Size: in. = 56.9"L x 55.6"W x 76.2" H</p> <ul style="list-style-type: none"> Independent diverging movement creates a natural downward pulling exercise path for a superior feel Defined path of motion provides an easy exercise experience <p>Angled thigh pad is fixed for simple operation in thigh stabilization</p>
9	<p>ROW Weight: 653 lbs. Size: in. = 48.6"L x 55.1"W x 58.1" H</p> <ul style="list-style-type: none"> Independent diverging movement follows the natural path of movement for a superior feel Adjustable chest pad accommodates users of all sizes <p>Centered fixed grip allows for stability during single arm exercises</p>
10	<p>SHOULDER PRESS Weight: 616 lbs. Size: in. = 64.4"L x 56.9"W x 72.8" H</p> <ul style="list-style-type: none"> Independent converging press arms create a natural overhead pressing movement for a superior feel Counterbalanced press arms minimize the starting resistance <p>Neutral and pronated hand grips for exercise variety</p>
11	<p>TRICEPS PRESS Weight: 607 lbs. Size: in. = 53.1L x 43.7"W x 58.1" H</p> <ul style="list-style-type: none"> Angled back pad provides stabilization without the need for a seatbelt Oversized pressing handles and traditional dip-style handles rotate in two positions, providing size adaptability and exercise variety <p>Easy access allows all users to comfortably perform the exercise</p>
12	<p>Glute Weight: 541 lbs. Size: in. = 73"L x 38.4"W x 58.1" H</p> <ul style="list-style-type: none"> Upper body position is comfortable and non-intimidating Adjustable torso pad accommodates users of all sizes Linear design maximizes full range of motion for muscle stimulation

Item #	Specifications
13	<p>HIP ABDUCTION Weight: 652 lbs. Size: in. = 62.6"L x 65.8"W x 58.1" H</p> <ul style="list-style-type: none"> • Adjustable start position facilitates easy entry and exit • Knee pads and dual foot positions provide leg support and reduce torque around the knees <p>Elevated weight stack is easily accessible from a seated position</p>
14	<p>HIP ADDUCTION Weight: 652 lbs. Size: in. = 62.6"L x 65.8"W x 58.1" H</p> <ul style="list-style-type: none"> • Ratcheting mechanism allows users to adjust start position in 10-degree increments • Knead pads and dual foot positions provide leg support and reduced torque around the knees <p>Elevated weight stack is easily accessible from the seated position</p>
15	<p>LEG CURL Weight: 492 lbs. Size: in. = 62.4"L x 41.7"W x 58.1" H</p> <ul style="list-style-type: none"> • Diverging hip and chest pad angle minimizes lower back stress and helps maintain proper body alignment • Variable cam replicates the body's natural strength curve throughout the entire range of motion • Push button adjustments allow simple one-handed adjustments. • 8 start positions in 10-degree increments accommodate users with varying range-of-motion capabilities <p>S-M-L-XL roller pad adjustment positions accommodate different-sized users</p>
16	<p>LEG EXTENSION Weight: 628 lbs. Size: in. = 65.7"L x 41.5"W x 58.1" H</p> <ul style="list-style-type: none"> • 100-degree angle between seat and back pad increases comfort and encourages full quadriceps contraction without hamstring flexibility limitations • Back pad, tibia pad and range-of-motion adjustments are easily accessible from a seated position <p>Handles position at side to provide stability</p>
17	<p>SEATED LEG CURL Weight: 493 lbs. Size: in. = 62.4"L x 41.7"W x 58.1" H</p> <ul style="list-style-type: none"> • Variable cam replicates the body's natural strength curve throughout the entire range-of-motion • Back pad, tibia pad, thigh pad, and range-of-motion adjustments are easily accessible from a seated position <p>Handles are positioned on top of the thigh pad to provide stability</p>
18	<p>SEATED LEG PRESS Weight: 990 lbs. Size: in. = 81.4"L x 44.8"W x 64.8" H</p> <ul style="list-style-type: none"> • Upright exercise position is especially applicable to a novice or deconditioned user • Force is transmitted through the user's hips, eliminating spinal compression <p>Adjustable seat carriage accommodates a variety of user sizes and desired range-of-motions, and is easily adjusted from the seated position</p>
19	<p>TORSO ROTATION Weight: 546 lbs. Size: in. = 50"L x 42.4"W x 61.9" H</p> <ul style="list-style-type: none"> • Unique design allows for easy entry and exit • Adjustable chest pad accommodates users of all sizes • Handles and knee supports provide stabilization <p>Kneeling position minimizes lower back stress</p>

Item #	Specifications
	<p>CABLE MOTION STRENGTH EQUIPMENT</p> <p>Frame</p> <ul style="list-style-type: none"> • Frame is primarily 2 ½" x 4 ½" oval-shaped tubing with 11 gauge wall thickness. Movement arms and primarily 1 5/8" x 2 ¾" oval shaped tubing with 11 gauge wall thickness • Prior to applying finished, each part is chemically washed to prepare surface for maximum adhesion • The Frames are coated with an electrostatic epoxy powder coat finish applied in a powder from and then baked at 400F. The frames are then clear coated for added protection, which results in a smooth, consistent finish which is very hard, assuring scratch and chip resistance. <p>Weight plate bushings</p> <ul style="list-style-type: none"> • Each plate (not just the top plate) will contain low friction bushings, which surround the guide rods to minimize friction noise <p>Top Weight Plate Bushings</p> <ul style="list-style-type: none"> • The top weight is stabilized with an engineered composite structure with self-lubrication bushings • The bushings are self-lubricating in order that the guide rod will not require lubrication <p>Weight Stack Guide Rods</p> <ul style="list-style-type: none"> • Guide Rods are ¾" cold drawn steel, turned ground and polished with hard chrome finish <p>Pulleys</p> <ul style="list-style-type: none"> • All pulleys are at least 4-1/4" working diameter using fiberglass-impregnated nylon with precision fit cable groove and double seated bearings <p>Pulley Covers</p> <ul style="list-style-type: none"> • As safety precaution, all pulleys are covered to minimize the dangers of a moving pulley catching a person's finger or clothes <p>Hand Grips</p>
	<ul style="list-style-type: none"> • Handgrips are an extruded 60-durometer-thermorubber compound that is non-absorbing, wear and tear resistant and exhibits good dry and wet frictional characteristics. • The grips are retained with aluminum collars, which eliminates the tendency of the grips to slide off of the handles <p>Warranty</p> <ul style="list-style-type: none"> • 10 year minimum warranty on frames, 5 years on integral bearings, guide rods, pulleys and weight plates, 1 year on cables and grips and 90 days on upholstery and item not specified
20	<p>CABLE MOTION</p> <p>DUAL ADJUSTABLE PULLEY</p> <p>Machine Weight: 1265 lbs. Weight Stack: 2 x 390 lbs.</p> <p>Size: in. = 44L x 62W x 93H</p> <ul style="list-style-type: none"> • 20 adjustment positions per column • Perform over 225 exercises • 1:4 resistance level for low starting resistance and high speed movements • Suitable for advanced sport-specific training • Low starting resistance for deconditioned or rehab users • Dual weight stacks allow unbalanced loading • Dual-roller mechanism provides smooth and easy adjustment • Includes accessory kit with 10 different handles, and instructional poster and CD

Item #	Specifications
21	<p>Synrgy 360X Versa Package</p> <ul style="list-style-type: none"> • Oval tubing • 10 monkey bars (adjustable) • 2 TRX training zones • 1 Versa space including dip handle, step-up platform, 10 accessory u-links, 3 hanging accessory storage bars, 2 TRX Rip Trainer storage hooks, band-grab storage, 4 accessory storage trays for kettle bell storage, rope harness, suspension bar option, Endless rope • 1 Versa boxing space including punching bag boom feature, 50 lb. punching bag, 10 accessory u-links, 3 hanging accessory storage bars, 2 TRX Rip Trainer storage hooks, band-grab storage, 4 accessory storage trays for kettle bell storage, rope harness for battle rope exercises • 1 slam wall station with rebounder • 1 Versa cable space left and right including (2) 390 lb. weight stack with 22 adjustable pulleys positions, 1:4 cable ratio, one short handle, one long handle, one belt, 2 hanging accessory storage bars, 2 TRX Rip Trainer storage hooks, band-grab storage, 2 accessory storage trays for kettle bell storage, rope harness for battle rope exercises • 11-gauge steel frame • Electrostatic powder coat finish • 7.4' x 12.8' footprint • 205 sq. ft.
22	<p>Custom 12-stack Multi-Jungle</p> <ul style="list-style-type: none"> • Oval tubing • 8 stations • Four sets of Dual roller mechanism adjustment system with 20 positions • Independent swiveling pulleys • Vertical adjustments ranging from 8" to 84" • Multi-grip pull up bars with sweat resistant thermo rubber handgrips • Magnetically locking weight pins • Configured with the following stations: 5 Adjustable Pulleys with 190 lb. weights stacks, 1 Low Row with 260 lb. weight stack, 1 Dual Pulley Row with 260 lb. weight stack, 2 Lat Pulldown with 260 lb. weight stack, 1 Dual Pulley Pulldown with 260 lb. weight stack, 2 Triceps Pushdown with 190 lb. weight stack • Premium contoured pads comprised of molded foam • Plastic backers on pads for durability • 7 x 19 strand, lubricated, nylon coated cable meets US Military specifications • Foot covers for finished look • Electrostatic powder coat finish • 11 gauge steel frame • 44"L x 62"W x 93"H; 1265 lbs.;

Item #	Specifications
	<p>PLATE LOADED STRENGTH EQUIPMENT</p> <p>Flat oval tube frame with Independent, converging and diverging movements</p> <ul style="list-style-type: none"> • 11-gauge steel frame with electrostatic powder coat for extreme durability • Molded urethane protective racking system and paint guards protect the finish against scratching and help to reduce noise • Standard rubber feet protect the base and prevent slipping • Instructional placards provide guidance on proper use and are easy to understand • Low starting resistance is inviting for new users • Products in Line: 12 • Color Options: 11 standard frame colors, 30 upholstery colors • Warranty: 10 year minimum warranty on frames, 5 years on integral bearings, guide rods, pulleys and weight plates, 1 year on cables and grips and 90 days on upholstery and item not specified
23	<p>PLATE LOADED CALF RAISE</p> <p>Machine Weight: 182 lbs. Starting Resistance: 95 lbs.</p> <p>Size: in. = 61L x 29W x 42H</p> <ul style="list-style-type: none"> • Angled handles for user comfort during exercise • Intuitive pull-pin thigh pad adjusts to accommodate different user sizes • Machine design emphasizes the Soleus muscle • Plate capacity: Three 45lb plates per weight rod
24	<p>PLATE LOADED LINEAR LEG PRESS</p> <p>Machine Weight: 709 lbs. Starting Resistance: 103 lbs.</p> <p>Size: in. = 98L x 561 x 61H</p> <ul style="list-style-type: none"> • Back pad support adjusts to three different positions • Handlebar directly above footplate provides easy entry/exit • Easy-to-use flip-in, flip-out carriage release mechanism • Plate capacity: 8-45 lb. plate capacity per horn (4), ability to load 32 plates • Standard weight horns – 4
	<p>BENCHES AND RACKS STRENGTH EQUIPMENT</p> <p>1. Frame Construction</p> <ul style="list-style-type: none"> • Oval-shaped tubing with 11 gauge wall thickness. Movement arms and primarily 1 5/8" x 2 3/4" oval shaped tubing with 11 gauge wall thickness • Frames are fully welded (not bolted together) for maximum structural integrity and minimum maintenance when possible. However, larger machines have bolted together configuration to facilitate movement through smaller doorways and difficult installations <p>2. Frame Finish</p> <ul style="list-style-type: none"> • Prior to applying finished, each part is chemically washed to prepare surface for maximum adhesion • The Frame are Coated with an electrostatic epoxy powder coat finish applied in a powder from and then baked at 400F. The frames are then clear coated for added protection, which results in a smooth, consistent finish which is very hard, assuring scratch and chip resistance.
	<p>3. Warranty</p> <ul style="list-style-type: none"> • 10 year minimum warranty on frames, 5 years on integral bearings, guide rods, pulleys and weight plates, 1 year on cables and grips and 90 days on upholstery and item not specified

Item #	Specifications
25	<p>HEAVY DUTY OLYMPIC MULTI-ADJUSTABLE BENCH Machine Weight: 115 lbs. Weight Stack: N/A Size: in. = 50L x 17.7W x 18H</p> <ul style="list-style-type: none"> • ASTM/ EN957 certified to a user rating of 400 lbs. • 3 lower pad positions • Six back pad positions • Convenient handle and wheels
26	<p>MULTI-ADJUSTABLE BENCH Machine Weight: 125 lbs. Weight Stack: N/A Size: in. = 53L x 32W x 45H</p> <ul style="list-style-type: none"> • Patent-pending single-pin mechanism allows users to simultaneously adjust seat and back pad • Drop-down handle and wheels allow easy mobility • Adjusts to seven different angles from flat to 70-degrees • Oval Tubing
27	<p>ARM CURL BENCH Machine Weight: 210 lbs. Weight Stack: N/A Size: in. = 33L x 47W x 46H</p> <ul style="list-style-type: none"> • Two arm curl exercises in one machine: standing 45-degree preacher curl and standing 85- degree biceps curl • Accommodates users of all sizes with no adjustments • Molded urethane guards protect frame from paint chips and scratches
28	<p>OLYMPIC FLAT BENCH W/ WEIGHT STORAGE Machine Weight: 150 lbs. Weight Stack: N/A Size: in. = 51L x 49W x 51H</p> <ul style="list-style-type: none"> • Molded Urethane Protective Racking System protects bar from wear and helps reduce noise • Oval Tubing
29	<p>OLYMPIC INCLINE BENCH W/ WEIGHT STORAGE Machine Weight: 185 lbs. Weight Stack: N/A Size: in. = 51L x 58W x 57H</p> <ul style="list-style-type: none"> • 30-degree back pad angle • Oval Tubing • Molded Urethane Protective Racking System protects bar from wear and helps reduce noise

Item #	Specifications
30	<p>HEAVY DUTY OLYMPIC <u>FULL</u> RACK WITH NEUTRAL GRIP CHIN UP Machine Weight: 884 lbs. Max Training Weight: 855 lbs. Size: in. = 79.5L x 74W x 96.5H</p> <ul style="list-style-type: none"> • Space efficient, open front design allows for unrestricted movements • Walk through design so the users do not have any structural foot obstructions from the front to the rear of the rack • ASTM / EN957 Certified to guarantee the ultimate in performance and strength of the product • Bumper plate storage on rack • Different frame color for base and storage/ connectors • Ability to connect racks • Spider Gusset™ – 45 degree angle braces with diamond plate to increase lateral stiffness • Bolting mechanism allows for higher fastening torque and eliminates exposed hardware for a cleaner look • 4"x3" laser cut 7-gauge steel uprights with laser cut numbering system ensures maximum structural integrity and provide efficiency in moving attachments to various positions • Rack frame receives an electrostatic powder coat finish to ensure adhesion and durability • 8' configurations
	<ul style="list-style-type: none"> • Bar Supports designed with replaceable 5/16" (8mm) UHMW wear strips protect the Olympic bar from metal on metal contact • Bar Catches designed with Solid 1" (2.5cm) diameter stainless steel adjustment shaft • Band peg options on the top and bottom of the rack offer various options for over-speed training, variable resistance training and technique development • Weight horns have 2 degree angle to prevent weight plates from slipping off the horn during heavy use • Integrated labeling system for the weight horns keeps weight plates organized • Standard band and chain storage helps keep the floor clear and the equipment organized and accessible on every rack

Item #	Specifications
31	<p>HEAVY DUTY OLYMPIC <u>HALF</u> RACK WITH NEUTRAL GRIP CHIN UP Machine Weight: 504 lbs. Max Training Weight: 855 lbs. Size: in. = 57L x 67W x 96H</p> <ul style="list-style-type: none"> • Space efficient, open front design allows for unrestricted movements • Walk through design so the users do not have any structural foot obstructions from the front to the rear of the rack • ASTM / EN957 Certified to guarantee the ultimate in performance and strength of the product • Bumper plate storage on rack • Different frame color for base and storage/ connectors • Bar Catch storage on rack • Ability to connect racks • Spider Gusset™ – 45 degree angle braces with diamond plate to increase lateral stiffness • Bolting mechanism allows for higher fastening torque and eliminates exposed hardware for a cleaner look • 4"x3" laser cut 7-gauge steel uprights with laser cut numbering system ensures maximum structural integrity and provide efficiency in moving attachments to various positions • Rack frame receives an electrostatic powder coat finish to ensure adhesion and durability • 8' configurations • Bar Supports designed with replaceable 5/16" (8mm) UHMW wear strips protect the Olympic bar from metal on metal contact
	<ul style="list-style-type: none"> • Bar Catches designed with Solid 1" (2.5cm) diameter stainless steel adjustment shaft • Band peg options on the top and bottom of the rack offer various options for over-speed training, variable resistance training and technique development • Weight horns have 2 degree angle to prevent weight plates from slipping off the horn during heavy use • Integrated labeling system for the weight horns keeps weight plates organized • Standard band and chain storage helps keep the floor clear and the equipment organized and accessible on every rack • Available in 9 standard frame colors. Custom colors also available. Additional attachments listed below: <p>2-HANDLE PULL-UP Weight: 36 lbs. Size: in. = 15L x 42.5W x 16H</p> <ul style="list-style-type: none"> • 1.25" rubber-coated grips • 2 ergonomic handle positions <p>POWER PIVOT Weight: 15 lbs. Size: in. = 24.5L x 6.5W x 6H</p> <ul style="list-style-type: none"> • Provides the ability to perform a variety of rotation exercises • Locking feature keeps the Olympic Bars secure • Compatible with all HD Elite Racks <p>SPOTTER PLATFORMS Weight: 58 lbs. Size: in. = 26L x 14W x 12H</p> <ul style="list-style-type: none"> • Optimally positions the spotter for assisting in various pressing movements • Quickly and easily flips up and down

Item #	Specifications
32	6x8 PLATFORM W/ INSERT FOR OLYMPIC RACKS <ul style="list-style-type: none"> • Insert to fit rack • Rubber with beveled edges • Frameless
33	RACK CONNECTORS FOR OLYMPIC RACKS Adjustable 7-8' <ul style="list-style-type: none"> • Square tubing • Dual Arc chin up
34	TWO TIER DUMBBELL RACK Machine Weight: 275 lbs. Weight Stack: N/A Size: in. = 90L x 25W x 33H <ul style="list-style-type: none"> • Oval Tubing • Angled trays with cradle for each dumbbell • Pinch free closed design of trays • Integrated labeling system for dumbbell placement • Accommodates 10 pairs of dumbbells • Electrostatic powder coat finish • 11-gauge steel frame
35	BARBELL RACK Machine Weight: 170 lbs. Weight Stack: N/A Size: in. = 34.5L x 38W x 61.5H <ul style="list-style-type: none"> • Oval Tubing • Molded Urethane protective racking system to protect bar and reduce noise • Accommodates 10 Barbells • Electrostatic powder coat finish • 11-gauge steel frame
36	HANDLE RACK Machine Weight: 140 lbs. Weight Stack: N/A Size: in. = 30L x 30W x 38H <ul style="list-style-type: none"> • Oval Tubing • Six hooks store hanging accessories • Three bars supports store lat bars • Top accessory tray with Urethane paint guards for storage • Molded Urethane protective racking system to protect bar and reduce noise • Electrostatic powder coat finish • 11-gauge steel frame

Item #	Specifications
	<p>OLYMPIC BARS</p> <p>Exclusive Features</p> <ul style="list-style-type: none"> • Aircraft-quality, industrial-grade hard chrome won't chip, flake or peel • Average Tensile Strength (as tested) for the 7' bar is typically above 200,000 PSI • Made in the USA • Hard Chrome Olympic Bars: <p>Available in 5-foot EZ Curl, 5-foot Straight and 7-foot Straight</p> <p>5-foot EZ bar weighs 30 lbs.</p> <p>5-foot straight bar weighs 30 lbs.</p> <p>7-foot straight bar weighs 44 lbs.</p> <p>Manufactured from heat-treated, turned, ground and polished steel, developed specifically for use in Olympic bars</p> <p>Machined steel sleeves with exceptionally slick, product-specific bearings and bushings</p> <p>Integrated collars that are attached to the bar using Grip's proprietary design to ensure maximum durability</p> <p>All bars have comfortable, medium diamond knurling for a safe and secure grip</p> <p>7-foot bar has a center knurl for added safety</p> <p>Oversized 5-foot EZ curl bar fits all standard racks, stands, and curl benches</p> <ul style="list-style-type: none"> • Competition Series Needle Bearing Olympic Bar: <p>Suitable for International Weightlifting Federation (IWF) Olympic-style competition</p> <p>Built exactly to IWF Specifications</p> <p>Calibrated to exactly 20 kg</p> <p>28 mm product-specific premium steel shaft</p> <p>Combination of heavy-duty roller bearings and needle bearings to provide free and constant sleeve rotation</p>
	<p>Proprietary snap ring locking system secures the shoulder bearings in position</p> <p>Additional Features</p> <ul style="list-style-type: none"> • 5-year warranty on all Olympic Bars
37	<p>5-foot.EZ-CURL BAR</p> <ul style="list-style-type: none"> • Bar weighs 30 lbs.
38	<p>7-foot straight bar</p> <ul style="list-style-type: none"> • Bar weighs 44 lbs.

Item #	Specifications
	<p>OLYMPIC PLATES MADE IN THE USA</p> <p>Tolerance:</p> <ul style="list-style-type: none"> • Manufactured to within 2% of stated weight, among the most accurate plates on the market. <p>Center Hole:</p> <ul style="list-style-type: none"> • Steel sleeve bored to 2.015 in. diameter for tight tolerances, with chamfered edges for easy fit to bars. <p>Diameter:</p> <ul style="list-style-type: none"> • 45 lb. Plate: 17.50" Diagonal • 35 lb. Plate: 14.375" Diagonal • 25 lb. Plate: 12.5" Diagonal • 10 lb. Plate: 9.5" Diagonal • 5 lb. Plate: 7.75" Diagonal • 2.5 lb. Plate: 6.0" Diagonal <p>Thickness:</p> <ul style="list-style-type: none"> • 45 lb. Plate: 1.65" • 35, 25 lb. Plate: 1.70" • 10 lb. Plate: 1.53" • 5, 2.5 lb. Plate: 1.14" <p>Grip Dimensions:</p> <ul style="list-style-type: none"> • 45, 35 lb. Plates: 4.5" x 2.0" • 25, 10 lb. Plates: 4.5" x 1.75" • 5, 2.5 lb. Plates: no grips <p>Other:</p> <ul style="list-style-type: none"> • provide separate itemized cost for college logo on plate
39	<p>45 lb. PLATE</p> <ul style="list-style-type: none"> • GRIPS, MULTI-SIDED, URETHANE
40	<p>35 lb. PLATE</p> <ul style="list-style-type: none"> • GRIPS, MULTI-SIDED, URETHANE
41	<p>25 lb. PLATE</p> <ul style="list-style-type: none"> • GRIPS, MULTI-SIDED, URETHANE
42	<p>10 lb. PLATE</p> <ul style="list-style-type: none"> • GRIPS, MULTI-SIDED, URETHANE
43	<p>5 lb. PLATE</p> <ul style="list-style-type: none"> • GRIPS, MULTI-SIDED, URETHANE
44	<p>2.5 lb. PLATE</p> <ul style="list-style-type: none"> • GRIPS, MULTI-SIDED, URETHANE

Item #	Specifications
	<p>OLYMPIC BUMPER PLATES MADE IN THE USA</p> <p>Tolerance:</p> <ul style="list-style-type: none"> • Manufactured to within 2% of stated weight, among the most accurate plates on the market. <p>Center Hole:</p> <ul style="list-style-type: none"> • Steel sleeve bored to 2.015 in. diameter for tight tolerances, with chamfered edges for easy fit to bars. <p>Diameter:</p> <ul style="list-style-type: none"> • 45 lb. Plate: 17.50" Diagonal • 35 lb. Plate: 14.375" Diagonal • 25 lb. Plate: 12.5" Diagonal • 10 lb. Plate: 9.5" Diagonal • 5 lb. Plate: 7.75" Diagonal • 2.5 lb. Plate: 6.0" Diagonal <p>Thickness:</p> <ul style="list-style-type: none"> • 45 lb. Plate: 1.65" • 35, 25 lb. Plate: 1.70" • 10 lb. Plate: 1.53" • 5, 2.5 lb. Plate: 1.14" <p>Grip Dimensions:</p> <ul style="list-style-type: none"> • 45, 35 lb. Plates: 4.5" x 2.0" • 25, 10 lb. Plates: 4.5" x 1.75" • 5, 2.5 lb. Plates: no grips <p>Other:</p> <ul style="list-style-type: none"> • provide separate itemized cost for college logo on plate
45	<p>Urethane colored bumper plates</p> <ul style="list-style-type: none"> • Steel Center hub • 45 lb. plate should not measure greater than 2.05"
46	<p>Urethane colored bumper plates</p> <ul style="list-style-type: none"> • Steel Center hub • 25 lb. plate should not measure greater than 1.5"
47	<p>Urethane colored bumper plates</p> <ul style="list-style-type: none"> • Steel Center hub • 10 lb. plate should not measure greater than 1.3"

Item #	Specifications
	<p>DUMBBELLS Thickness: Overmolded Urethane: Will not accept Asian urethane Tolerance: Manufactured to within 2% of stated weight, among the most accurate on the market. Handle: Straight, nickel chrome plated, pressed and bolted handle to head</p> <ul style="list-style-type: none"> • 5-100 lb. 1-1/4 inch diameter • provide separate itemized cost for college logo on dumbbell heads
48A-Y	<p>URETHANE</p> <ul style="list-style-type: none"> • Range 5 lbs. - 100lbs.
49	<p>OLYMPIC WEIGHT TREE Machine Weight: 95 lbs. Weight Stack: N/A Size: in. = 23L x 27W x 37H</p> <ul style="list-style-type: none"> • Six weight horns accommodate up to (20) 45 lb. weight plates • Integrated weight horn labels identify plate storage positions • Oval Tubing
50	<p>6' FREE STANDING ACCESSORY STORAGE UNIT 3 trays:</p> <ul style="list-style-type: none"> • 2 flat trays • 1 2-pipe
51	<p>BACK EXTENSION Machine Weight: 151 lbs. Weight Stack: N/A Size: in. = 50L x 37W x 38H</p> <ul style="list-style-type: none"> • Adjustable pad support to accommodate all sized users • V-shaped pad design provides greater comfort throughout range of motion • Lower roller pads positioned to increase stabilization and comfort throughout exercise • Handles positioned for easy entry and exit without interfering with the exercise
52	<p>COLLARS Quick Collars are 2" diameter, high-impact, machined steel collars, featuring a heavy-duty brushed (satin) chrome finish and the quick release technology. Collars are heavy-duty, glass-filled nylon collars, with the patented quick release technology. Collars are lightweight, and have wear guards on the inside to minimize scratching of the Olympic bar. Both collars are designed to be operated with one hand.</p>
53	<p>SET OF 10 FIXED WEIGHT URETHANE BARBELLS W/ STORAGE RACK</p> <ul style="list-style-type: none"> • 20-110 LBS, INCREMENTS OF 10 LBS. • OVERMOLDED URETHANE MADE IN THE USA • ANT-ROLL HEADS CROME PLATED HANDLES

Item #	Specifications
	<p>CARDIO EQUIPMENT W/ TECHNOLOGY & CONNECTIVITY</p> <ul style="list-style-type: none"> • 16" Integrated Surface Capacitive LCD Touch Screen • IPTV, Pro:Idiom compatibility • High-Definition screen displays vibrant video, images and graphics <p>Special Features</p> <ul style="list-style-type: none"> • Streaming entertainment Apps: Netflix, Hulu, Pandora, ESPN, Flipboard, YouTube, Newsy, • Lifescape interactive courses (6); Interactive Run social courses (6) • Ability to personalize console with school Logo, background image and scrolling message • Free Asset Management, Personalization and Customization via LFconnect • Free access to LFconnect website to manage data and workouts • iPad holder allows secure placement of iPad while working out • Exercisers can self-identify and access personalized content via smartphone, PIN, USB or RFID* • Internet Ready via shielded CAT6 or CAT5e; Wi-Fi standard • Compatible with Bluetooth devices <p>Equipment Management Software Enables facility customization, end-user personalization, and facility management.</p>
54	<p>TOP OF THE LINE, HIGHEST COMMERCIAL GRADE <u>TREADMILL</u></p> <p>Standard Features</p> <ul style="list-style-type: none"> • Titanium frame, 400 lbs. maximum user weight • Powerful 4-HP (8 HP Peak) AC motor with drive motor controller; 0.5 – 14 mph; 0 – 15% incline • 3.5" precision crowned front and back steel rollers • Large 22" x 60" running surface with low 10" step-up height and small 37" x 80" footprint • Belt and Deck System featuring Shock Absorption System with 8 large shock absorbers • Stride Sensor automatic belt stop protection system • 22 language choices • Activity Zone bar with most-often used controls • Limitless workout personalization options • Digital Heart Rate Monitoring <p>**Warranty 3 years parts, and 3 year labor</p>

Item #	Specifications
55	<p>TOP OF THE LINE, HIGHEST COMMERCIAL GRADE <u>UPRIGHT BIKE</u></p> <p>Standard Features</p> <ul style="list-style-type: none"> • Titanium Frame color • Hybrid Green Technology- user will power unit/TV when they reach high RPM and level. • Display summary of power saved at the end of the workout • User can select from up to 22 language choices • Comfort curve seat with easy adjustments • Wide pedals with easily adjustable pedal strap • Digital Heart Rate Monitoring • Angled seat post allows users from 4'9" to 6'5" tall to adjust seat height for correct Knee Over • Pedal Spindle position • Deluxe racing handlebars with at-your-fingertip resistance controls to easily adjust workout • 26 resistance levels • 400 lbs. maximum user weight <p>**Warranty 3 years parts, and 3 year labor</p>
56	<p>TOP OF THE LINE, HIGHEST COMMERCIAL GRADE <u>RECUMBENT BIKE</u></p> <p>Standard Features</p> <ul style="list-style-type: none"> • Titanium Frame color • Hybrid Green Technology- user will power unit/TV when they reach high RPM and level. • Display summary of power saved at the end of the workout • User can select from up to 22 language choices • Comfort curve seat with easy adjustments • Wide pedals with easily adjustable pedal strap • Digital Heart Rate Monitoring • Angled seat post allows users from 4'9" to 6'5" tall to adjust seat height for correct Knee Over • Pedal Spindle position • Deluxe racing handlebars with at-your-fingertip resistance controls to easily adjust workout • 26 resistance levels • 400 lbs. maximum user weight <p>**Warranty 3 years parts, and 3 year labor</p>

Item #	Specifications
57	<p>TOP OF THE LINE, HIGHEST COMMERCIAL GRADE <u>ELLIPTICAL ARC TRAINER</u></p> <p>Standard Features</p> <ul style="list-style-type: none"> • Titanium Frame color • User can select from up to 22 language choices • 21 incline levels • 24" stride • Up to 900 Watts of resistance • 26 resistance levels <p>**Warranty 3 years parts, and 3 year labor</p>
58	<p>TOP OF THE LINE, HIGHEST COMMERCIAL GRADE <u>ELLIPTICAL CROSS TRAINER</u></p> <p>Standard Features</p> <ul style="list-style-type: none"> • Titanium Frame color • User can select from up to 22 language choices • Ergonomic moving arm handles provide total-body workout • At-your-fingertips resistance controls located on the bullhorns • Oversized non-slip pedals • Digital Heart Rate Monitoring • 2.8" pedal spacing to minimize • 26 resistance levels • 20" (50.8 cm) stride length; 400 lbs. maximum user weight <p>**Warranty 3 years parts, and 3 year labor</p>
59	<p>TOP OF THE LINE, HIGHEST COMMERCIAL GRADE <u>POWERMILL CLIMBER</u></p> <p>Standard Features</p> <ul style="list-style-type: none"> • Titanium Frame color • User can select from up to 22 language choices • 26 resistance levels • FitPower display highlights the energy output of exercisers. • 21" x 10" step; Anti toe-pinch step design • Thumb controls to adjust speed and on/off • Contact heart rate sensors • AC motor • Mechanical brake then locks the steps in place • Limitless workout personalization options with Digital Heart Rate Monitoring • 26 resistance levels; 400 lbs. maximum user weight <p>**Warranty 3 years parts, and 3 year labor exceptions</p>

Item #	Specifications
	OTHER CARDIO EQUIPMENT
60	<p>SCIFIT PRO 1 UPPER BODY</p> <ul style="list-style-type: none"> • ADA compliant- seats slides of for direct wheelchair access. • Bi-direction movement and resistance • 191 levels of resistance- 20 levels with .1 increments • Adjustable arm cranks- 4 range of motion settings • Adjustable tilt head allows for both seating and standing exercises • 7" color display with time, level, distance, METs, RPMs, Watts, and heart rate • 60" x 30" x 77"; 232 lbs. <p>**Warranty 3 years parts, and 3 year labor</p>
61	<p>SCIFIT PRO 2 TOTAL BODY</p> <ul style="list-style-type: none"> • ADA compliant- seats slides of for direct wheelchair access. • Total body solution with dependent motion • Bi-direction movement and resistance in both arms and pedals • 191 levels of resistance- 20 levels with .1 increments. • Adjustable arm cranks- 3 range of motion settings • Seat reclines within a 23 degree range • 7" color display with time, level, distance, METs, RPMs, Watts, and heart rate • 61" x 30" x 62"; 260 lbs. <p>**Warranty 3 years parts, and 3 year labor</p>

Item #	Specifications
62	<p>INDOOR CYCLING BIKE</p> <ul style="list-style-type: none"> • Rear fly wheel design • Coach by Color training program • Watt Rate TFT computer displaying RPMs, Watts, Calories, Heart rate, Distance, Time & Gears • Self-powered console, batteries not required • Power measurement through WattRate power meter • Connect technology through Bluetooth and Ant+ • Belt driven • 155mm Q factor • Magnetic resistance • Dual sided SPD & toe cage pedals • Vertical and horizontal seat adjustment • Vertical and horizontal handlebar adjustment • 52" x 20.5" 47.2"; 112 lbs. <p>ICG Connect</p> <ul style="list-style-type: none"> • Monitor, manage, and control group's workout data • 10.1" HD touch screen instructor console • Media server • Router/ ANT receivers • Leader board, battle, athlete view, and team point views • Forward moving video display <p>**Warranty 3 years parts, and 3 year labor</p>
63	<p>HYDRO ROWER</p> <ul style="list-style-type: none"> • 16 resistance levels • Fluid technology resistance • Stores vertically • Display with time, distance, strokes per minute, 500 meter split time, Watts, calories per hour calories, and heart rate • 76.8" x 31.5" x 39.4"; 135 lbs. <p>**Warranty 3 years parts, and 3 year labor</p>

Item #	Best Model	Item	Qty	Manufacturer's Name	Model Number	Unit Price	Extended Price
1	INSIGNIA SS-ADC	ASSIST DIP CHIN: SS-ADC INSIGNIA SERIES ASSIST DIP CHIN - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
2	INSIGNIA SS-BC	BICEPS CURL: SS-BC INSIGNIA SERIES BICEPS CURL - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
3	INSIGNIA SS-CP	CHEST PRESS: SS-CP INSIGNIA SERIES CHEST PRESS - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
4	INSIGNIA SS-CE	CALF EXTENSION: SS-CE INSIGNIA SERIES CALF EXTENSION - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
5	INSIGNIA SS-AB	ABDOMINAL MACHINE: SS-AB INSIGNIA SERIES ABDOMINAL - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
6	INSIGNIA SS-LR	LATERAL RAISE MACHINE: SS-LR INSIGNIA SERIES LATERAL RAISE - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
7	INSIGNIA SS-FLY	PECTORAL FLY/REAR DELTOID: SS-FLY INSIGNIA SERIES FLY/REAR DELT - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
8	INSIGNIA SS-PD	PULLDOWN: SS-PD INSIGNIA SERIES PULLDOWN - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
9	INSIGNIA SS-RW	ROW: SS-RW INSIGNIA SERIES ROW - C-LB Weight Stack/Standard Full Shroud/L Trim/Platinum Clear Frame/Double Stitch Black Uph/English	1				
10	INSIGNIA SS-SP	SHOULDER PRESS: SS-SP INSIGNIA SERIES SHOULDER PRESS - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				

Item #	Best Model	Item	Qty	Manufacturer's Name	Model Number	Unit Price	Extended Price
11	INSIGNIA SS-TP	TRICEPS PRESS: SS-TP INSIGNIA SERIES TRICEPS PRESS - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/I Trim	1				
12	INSIGNIA SS-GL	Glute: SS-GL INSIGNIA SERIES GLUTE - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
13	INSIGNIA SS-HAB	HIP ABDUCTION: SS-HAB INSIGNIA SERIES HIP ABDUCTION - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
14	INSIGNIA SS-HAD	HIP ADDUCTION: SS-HAD INSIGNIA SERIES HIP ADDUCTION - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
15	INSIGNIA SS-SLC	LEG CURL: SS-LC INSIGNIA SERIES LEG CURL - Platinum Clear Frame/Double Stitch Black Uph/English/C-LB Weight Stack/Standard Full Shroud/L Trim	1				
16	INSIGNIA SS-LE	Assist Dip Chin: Ss-Adc Insignia Series Assist Dip Chin - Platinum Clear Frame/Double Stitch Black Uph/English/C-Lb Weight Stack/Standard Full Shroud/L Trim	1				
17	INSIGNIA SS-LC	Biceps Curl: Ss-Bc Insignia Series Biceps Curl - Platinum Clear Frame/Double Stitch Black Uph/English/C-Lb Weight Stack/Standard Full Shroud/L Trim	1				
18	INSIGNIA SS-SLP	Chest Press: Ss-Cp Insignia Series Chest Press - Platinum Clear Frame/Double Stitch Black Uph/English/C-Lb Weight Stack/Standard Full Shroud/L Trim	1				
19	INSIGNIA SS-TR	Calf Extension: Ss-Ce Insignia Series Calf Extension - Platinum Clear Frame/Double Stitch Black Uph/English/C-Lb Weight Stack/Standard Full Shroud/L Trim	1				
Total Group A: Selectorized Strength Equipment							

Item #	Best Model	Item	Qty	Manufacturer's Name	Model Number	Unit Price	Extended Price	
20	HDL DAP HD ELITE	Dual Adjustable Pulley Oval Tubing; Hdldap Hd Elite Dual Adjustable Pulley Platinum Frame/Lang.Eng/Glb/Shr .Full/8Ft/ Pullup Rear 2 Handle	2					
21	SYN 360XM	Synrgy 360X Versa Package • Fxt-Dip Syn360 Dip • Fxt-Stp Syn360 Step - English • Fxtt-Vw Synrgy360T Versa-Versa-Versa - Req Bolt To Floor -Platinum Frame/English/Suspension Chin And Trx Suspension Trainer/Punching Bag Connector • Suspension Chin And Trx Suspension Trainer • Punching Bag Connector • Fxtm-Core Syn360Xm Core - Req Bolt To Floor • On-Site Product Training	1					
22	MJCORE MJAP MJAXO MJLP MJRW MJRWD MJTP	Custom 12-Stack Multi-Jungle • Mj-Core: Mj Core Tower - Frame.Plt/Lang.Eng • Mjap: Mj Adjustable Pulley - Frame.Plt/Glb/Shr.None/Lang.Eng • Mjaxo: Mjaxo Station - Frame.Plt/Glb/Shr.None/Lang.Eng • Mjlp: Mjlp Station - Frame.Plt/Uph .Blk/Gray-Lb/Sh R.None/Lang .Eng • Mjrw: Mj Row - Frame.Plt/Uph.B Lk/Gray-Lb/Shr.None/Lang.Eng • Mjrwd: Mj Dual Row -Frame.Plt/Uph.Blk/Gray-Lb/ Shr.Non E/Lang.Eng • Mjtp: Mj Tricep Pushdown -Frame.Plt/Gray-Lb/Shr.None/Lang.Eng	1					
Total Group B: CABLE MOTION								

23	SIGNATURE CALF	Plate Loaded Calf Raise: Spcalf Frm.Plt/Uph .Blk/Workarm.Blk/Lang.Eng/Gray Knob	1				
24	SIGNATURE SPLLLP	Plate Loaded Linear Leg Press: Splllp Signature Plate Loaded Linear Leg Press - Frm.Plt/Uph.Blk/Workarm.Plt/Lang .Eng/Weight Horn/Gray Knob	1				

Item #	Best Model	Item	Qty	Manufacturer's Name	Model Number	Unit Price	Extended Price
25	HD ELITE HDLADJ	Heavy Duty Olympic Multi-Adjustable Bench: Hdladj Hd Elite Adjustable Bench - Platinum Frame/Uph.Blk	6				
26	SIGNATURE SMAB	Multi-Adjustable Bench: Smab Signature Multiple Adjustable Bench - Multi Adjustable Bench-Frm. Plt/Uph .Blk	6				
27	SIGNATURE SAC	Arm Curl Bench: Sac Signature Arm Curl - Arm Curl Bench-Frm.Plt/Uph.Blk	1				
28	SIGNATURE SOFB	Olympic Flat Bench W/ Weight Storage: Sofb Signature Olympic Flat Bench - Olympic Flat Bench-Frm.Plt/Uph .Blk	2				
29	SIGNATURE SOIB	Olympic Incline Bench W/ Weight Storage: Soib Signature Olympic Incline Bench - Olympic Incline Bench-Frm .Plt/Uph .Blk	1				
30	HD ELITE HDLFRL	Heavy Duty Olympic Full Rack With Neutral Grip Chin Up	1				
31	HD ELITE HDLHRL	Heavy Duty Olympic Half Rack With Neutral Grip Chin Up: Hdlhrl Hd Elite Half Rack Long Base - Platinum Frame/Lang.Eng/ 8Ft/Pullup Neutral/Bar Catch	6				
32	RP-RC	6X8 Platform With Insert: Rp-Rc Rubber Platform, Rack Center	6				
33	HD ELITE HDLRC-SQ	Rack Connectors For Olympic Racks: HdLrc-Sq Hd Elite Rack Connector - Square - Platinum Frame/7-8 Ft Length	5				
34	SIGNATURE SDR2	Two Tier Dumbbell Rack: Sdr2 Signature Dumbbell Rack-Double - Two Tier Dumbbell Rack-Frm.Plt	4				
35	SIGNATURE SBRR	Barbell Rack: Sbbr Signature Bar Bell Rack - Barbell Rack-Frm.Plt	1				

Item #	Best Model	Item	Qty	Manufacturer's Name	Model Number	Unit Price	Extended Price
36	SIGNATURE SHR	Handle Rack: Shr Signature Handle Rack - Handle Rack-Frm.Pl	1				
Total Group C: Plate Loaded Strength Equipment, Benches & Racks							

37	HS-OB	Olympic Ez-Curl Bar: Hs-Ob Standard Curl Bar, 5Ft, Chrome, Bushing, Straight	1				
38	HAMMER HS-OB	Olympic Straight Bar: Hs-Op Hammer Gym Bar, 29Mm, Chrome, Bushing, 20Kg	12				
39	HAMMER HS-OP	Olympic Plates, 45 Lb: Hs-Op Hammer Olympic Plate 45Lb, Urethane , Rndx	42				
40	HAMMER HS-OP	Olympic Plates, 35 Lb: Hs-Op Hammer Olympic Plate 35Lb, Urethane, Rndx	18				
41	HAMMER HS-OP	Olympic Plates, 25 Lb: Hs-Op Hammer Olympic Plate 25Lb, Urethane, Rndx	18				
42	HAMMER HS-OP	Olympic Plates, 10 Lb: Hs-Op Hammer Olympic Plate 10Lb, Urethane, Rndx	22				
43	HAMMER HS-OP	Olympic Plates, 5 Lb: Hs-Op Hammer Olympic Plate 5Lb, Urethane, Rndx	46				
44	HAMMER HS-OP	Olympic Plates, 2.5 Lb: Hs-Op Hammer Olympic Plate 2.5Lb, Urethane, Rndx	16				
45	HAMMER HS-BP	Urethane Colored Bumper Plates, 45 Lb: Hs-Bp Hammer Bumper, 45Lb, Urethane, Blue	36				
46	HAMMER HS-BP	Urethane Colored Bumper Plates, 25 Lb: Hs-Bp Hammer Bumper, 25Lb, Urethane, Green	24				

Item #	Best Model	Item	Qty	Manufacturer's Name	Model Number	Unit Price	Extended Price
47	HAMMER HS-BP	Urethane Colored Bumper Plates, 10 Lb: Hs-Bp Hammer Bumper, 10 Lb, Urethane, Black	24				
48A	HAMMER HS-DB	Urethane Dumbbells, 5 Lb: Hs-Db Hammer Dumbbell 5 Lb Each, Urethane, Round	4				
48B	HAMMER HS-DB	Urethane Dumbbells, 10 Lb: Hs-Db Hammer Dumbbell 10 Lb Each, Urethane, Round	4				
48C	HAMMER HS-DB	Urethane Dumbbells, 15 Lb: Hs-Db Hammer Dumbbell 15 Lb Each, Urethane, Round	4				
48D	HAMMER HS-DB	Urethane Dumbbells, 20 Lb: Hs-Db Hammer Dumbbell 20 Lb Each, Urethane, Round	4				
48E	HAMMER HS-DB	Urethane Dumbbells, 25 Lb: Hs-Db Hammer Dumbbell 25 Lb Each, Urethane, Round	4				
48F	HAMMER HS-DB	Urethane Dumbbells, 30 Lb: Hs-Db Hammer Dumbbell 30 Lb Each, Urethane, Round	4				
48G	HAMMER HS-DB	Urethane Dumbbells, 35 Lb: Hs-Db Hammer Dumbbell 35 Lb Each, Urethane, Round	4				
48H	HAMMER HS-DB	Urethane Dumbbells, 40 Lb: Hs-Db Hammer Dumbbell 40 Lb Each, Urethane, Round	4				
48I	HAMMER HS-DB	Urethane Dumbbells, 45 Lb: Hs-Db Hammer Dumbbell 45 Lb Each, Urethane, Round	4				
48J	HAMMER HS-DB	Urethane Dumbbells, 50 Lb: Hs-Db Hammer Dumbbell 50 Lb Each, Urethane, Round	4				
48K	HAMMER HS-DB	Urethane Dumbbells, 55 Lb: Hs-Db Hammer Dumbbell 55 Lb Each, Urethane, Round	4				

Item #	Best Model	Item	Qty	Manufacturer's Name	Model Number	Unit Price	Extended Price
48L	HAMMER HS-DB	Urethane Dumbbells, 60 Lb: Hs-Db Hammer Dumbbell 60 Lb Each, Urethane, Round	4				
48M	HAMMER HS-DB	Urethane Dumbbells, 65 Lb: Hs-Db Hammer Dumbbell 65 Lb Each, Urethane, Round	4				
48N	HAMMER HS-DB	Urethane Dumbbells, 70 Lb: Hs-Db Hammer Dumbbell 70 Lb Each, Urethane, Round	4				
48O	HAMMER HS-DB	Urethane Dumbbells, 75 Lb: Hs-Db Hammer Dumbbell 75 Lb Each, Urethane, Round	4				
48P	HAMMER HS-DB	Urethane Dumbbells, 80 Lb: Hs-Db Hammer Dumbbell 80 Lb Each, Urethane, Round	2				
48Q	HAMMER HS-DB	Urethane Dumbbells, 85 Lb: Hs-Db Hammer Dumbbell 85 Lb Each, Urethane, Round	2				
48R	HAMMER HS-DB	Urethane Dumbbells, 90 Lb: Hs-Db Hammer Dumbbell 90 Lb Each, Urethane, Round	2				
48S	HAMMER HS-DB	Urethane Dumbbells, 95 Lb: Hs-Db Hammer Dumbbell 95 Lb Each, Urethane, Round	2				
48T	HAMMER HS-DB	Urethane Dumbbells, 100 Lb: Hs-Db Hammer Dumbbell 100 Lb Each, Urethane, Round	2				
48U	HAMMER HS-DB	Urethane Dumbbells, 7.5 Lb: Hs-Db Hammer Dumbbell 7.5 Lb Each, Urethane, Round	2				
48V	HAMMER HS-DB	Urethane Dumbbells, 12.5 Lb: Hs-Db Hammer Dumbbell 12.5 Lb Each, Urethane, Round	2				
48W	HAMMER HS-DB	Urethane Dumbbells, 17.5 Lb: Hs-Db Hammer Dumbbell 17.5 Lb Each, Urethane, Round	2				

Item #	Best Model	Item	Qty	Manufacturer's Name	Model Number	Unit Price	Extended Price
48X	HAMMER HS-DB	Urethane Dumbbells, 22.5 Lb: Hs-Db Hammer Dumbbell 22.5 Lb Each, Urethane, Round	2				
48Y	HAMMER HS-DB	Urethane Dumbbells, 27.5 Lb: Hs-Db Hammer Dumbbell 27.5 Lb Each, Urethane, Round	2				
49	SIGNATURE SOWT	Olympic Weight Tree: Sowl Signature Olympic Weight Tree - Olympic Weight Tree-Frm. Plt	1				
50	HD AT-FSS-6	6' Free Standing Accessory Storage: At-Fss-6 Hd Athletic 6' Free Standing Storage - Platinum Frame/Hd Athletic 72" Storage Member, 2 Pipe	1				
51		Back Extension Machine Weight 151 lbs, Size 50: x37 x 38H	1				
52	ACCL-CL	Collars: Acc-CI Collar, Lock Jaw Olympic, Black, (Each)	24				
53	HS-BB	Set Of 10 Fixed Weight Round Urethane Barbells W/ Storage Rack	1				
Total Group D: Plates, Bars, Dumbbells & Accessories							

54	95TE DISCOVER SE3	Treadmill: 95Te Treadmill Discover Se3 Domestic - Titanium Base/19In Console Combo Atsc Wireless	12				
55	95CE DISCOVER SE3	Upright Bike: 95Ce Upright Bike Discover Se3 Domestic - Titanium Base/16In Console Combo Atsc Wireless	3				
56	95RE DISCOVER SE3	Recumbent Bike: 95Re Recumbent Bike Discover Se3 Domestic - Titanium Base/16In Console Combo Atsc Wireless/Recumbent Lifecycle Handlebars W/Contact Hr	3				

Item #	Best Model	Item	Qty	Manufacturer's Name	Model Number	Unit Price	Extended Price	
57	770A	Elliptical Arc Trainer: 770A 770A Arc Trainer Lb Platspkl E3 Atsc En	4					
58	95XE DISCOVER SE3	Elliptical Cross Trainer: 95Xe Cross-Trainer Discover Se3 Domestic - Titanium Base/16In Console Combo Atsc Wireless	8					
59	95PE DISCOVER SE3	Powermill Climber: 95Pe Powermill Discover Se3 Domestic - Powermill Base/16In Console Combo Atsc Wireless/Linecord Powermill Domestic Low Voltage/Titanium Handlebar Kit	4					
Total Group E: Cardio Equipment w/ Technology & Connectivity								

60	PRO1	Scifit Pro 1 Upper Body: Pro 1 Adjustable Ube Prem Seat Cool Gray	1					
61	PRO2	Scifit Pro 2 Total Body: Pr0 2 Total Body Ube Prem Seat Adj Cranks Cool Gray	1					
62	ICG	Indoor Cycling Bike: Ic6 Group Exercise Bike Ic6 Base/Console , Lf Brnd Icg Connect	18					
63	ROW GX	Hydro Rower: Group-Row Row Gx - Row Gx - Base/Row Gx - Rail	3					
Total Group F: Other Cardio Equipment								

<p>Base Bid Total (A+B+C+D+E+F) \$ _____</p> <p>Total Base Bid Stated in Words _____</p>
--

PROPOSAL

The undersigned proposes, in accordance with the terms and conditions of the Contract Documents, of which this Proposal is a part, to furnish all equipment, materials and labor, required for **Bid Q00909 Building M Fitness Equipment** at Harper College, 1200 W. Algonquin Road, Palatine Illinois, 60067. All in accordance with the General and Special Conditions, the Detailed Specifications and Drawings at the price set forth below:

Bid Categories:

Description	Price
Total Group A: SELECTORIZED STRENGTH EQUIPMENT Lead time for Group A _____	\$ _____
Total Group B: CABLE MOTION STRENGTH EQUIPMENT Lead time for Group B _____	\$ _____
Total Group C: PLATE LOADED STRENGTH EQUIPMENT, BENCHES AND RACKS Lead time for Group C _____	\$ _____
Total Group D: BARS, PLATES, DUMBELLS AND ACCESSORIES Lead time for Group D _____	\$ _____
Total Group E: CARDIO EQUIPMENT W/TECHNOLOGY & CONNECTIVITY Lead time for Group E _____	\$ _____
Total Group F: OTHER CARDIO EQUIPMENT Lead time for Group F _____	\$ _____
Total Base Bid (Sum Groups A Thru F)	\$ _____
Price for College Logo on Plates (Do Not include in Base Bid Amount)	\$ _____ Per _____
Cardio Three Year Warranty Price (List Amount included in Base Bid group E & F)	\$ _____

PROPOSAL (Cont.)

RECEIPT OF ADDENDA: The receipt of the following addenda is hereby acknowledged:

Addendum No. _____, Dated _____
Addendum No. _____, Dated _____

Person to Contact Regarding this Bid _____

Phone _____

Email _____

The undersigned hereby certifies that they have read and understand the contents of this solicitation and agree to furnish at the prices shown any or all of the items above, subject to all instructions, conditions, specifications and attachments hereto. Failure to have read all the provisions of this solicitation shall not be cause to alter any resulting contract or to accept any request for additional compensation.

SIGNATURE SHEET

(If an Individual)

Signature of Bidder _____ (Seal)

Business Address _____

(If a Partnership)

Firm Name _____ (Seal)

By _____

Business Address _____
of all Partners _____

of the Firm _____

(If a Corporation)

Corporate Name _____

By _____

Business Address _____

(CORPORATE SEAL)

Name of Officers: President _____

Secretary _____

Treasurer _____

Attest: _____

(Secretary)

Name of Bidder _____

Date _____

Failure to complete and return this form may be considered sufficient reason for rejection of the bid.

LIST OF REFERENCES

This list is required to consist of projects of similar size and complexity. The list of projects should be located as similar to this project as possible.

Name of Project (Owner) _____

Location _____

Total Contract Cost _____

Date Completed _____

Contact Person (Owner) _____

Telephone (Owner) _____

Name of Project (Owner) _____

Location _____

Total Contract Cost _____

Date Completed _____

Contact Person (Owner) _____

Telephone (Owner) _____

Name of Project (Owner) _____

Location _____

Total Contract Cost _____

Date Completed _____

Contact Person (Owner) _____

Telephone (Owner) _____

Name of Project (Owner) _____

Location _____

Total Contract Cost _____

Date Completed _____

Contact Person (Owner) _____

Telephone (Owner) _____

CERTIFICATION OF COMPLIANCE

THE UNDERSIGNED HEREBY CERTIFIES AS FOLLOWS:

1. That the undersigned has authority to make this certification on behalf of the bidder.

Name of Company

2. That the undersigned has read the contents, in regard to disqualification of certain bidders, which are contained on the following pages of the bid documents.
3. That the undersigned knows of his own knowledge that the bidder is not disqualified from bidding under the aforesaid sections.
4. That the undersigned hereby certifies that said contractor is not barred from bidding on the aforementioned contract as a result of a violation of either Section 33E or 33E-4 of Article 33E of Chapter 38 of the Illinois Revised Statutes.

Authorized Signature

Type or Print Name

Title

Subscribed and sworn
before me this _____
day of _____, 2017

SEAL

Instructions: This is to be completely filled out and executed by the Chief Executive Officer or the bidder authorized to submit the certification.

DISQUALIFICATION OF CERTAIN BIDDERS

PERSONS AND ENTITIES SUBJECT TO DISQUALIFICATION

No person or business entity shall be awarded a contract or subcontract, for a stated period of time, from the date of conviction or entry of a plea or admission of guilt, if the person or business entity,

- (A) has been convicted of an act committed, within the State of Illinois or any state within the United States, of bribery or attempting to bribe an officer or employee in the State of Illinois, or any state in the United States in that officer's or employee's official capacity;
- (B) has been convicted of an act committed, within the State of Illinois or any state within the United States, of bid rigging or attempting to rig bids as defined in the Sherman Anti-Trust Act and Clayton Act 15 U.S.C.;
- (C) has been convicted of bid rigging or bid rotating, or attempting to rig or rotate bids under the laws of the State of Illinois, or any state in the United States;
- (D) has been convicted of an act committed, within the State of Illinois or any state in the United States, of price-fixing or attempting to fix prices as defined by the Sherman Antitrust Act and Clayton Act 15 U.S.C. Sec. 1 et seq.;
- (E) has been convicted of price-fixing or attempting to fix prices under the laws of the State of Illinois, or any state in the United States;
- (F) has been convicted of defrauding or attempting to defraud any unit of state or local government or school district within the State of Illinois or in any state in the United States;
- (G) has made an admission of guilt of such conduct as set forth in subsection (A) through (F) above which admission is a matter of record, whether or not such person or business entity was subject to prosecution for the offense or offenses admitted to;
- (H) has entered a plea of nolo contendere to charges of bribery, price fixing, bid rigging, bid rotating, or fraud; as set forth in subparagraphs (A) through (F) above.

Business entity, as used herein, means a corporation, partnership, trust, association, unincorporated business or individually owned business.

**HARPER COLLEGE, ILLINOIS
ANTI-COLLUSION AFFIDAVIT AND CONSULTANT'S CERTIFICATION**

_____, being first duly sworn,

deposes and says: that he is _____
(Partner, Officer, Owner, Etc.)

of _____
(Consultant)

The party making the foregoing Proposals or bid, certifies that such bid is genuine and not collusive, or sham; that said bidder has not colluded, conspired, connived or agreed, directly or indirectly, with any bidder or person, to put in a sham bid or to refrain from bidding, and has not in any manner, directly or indirectly, sought by agreement or collusion, or communication or conference with any person; to fix the bid price element of said bid, or of that of any other bidder, or to secure any advantage against any other bidder or any person interested in the proposed contract.

The undersigned certifies that he is not barred from bidding on this contract as a result of a conviction for the violation of State laws prohibiting bid-rigging or bid-rotating.

(Name of Bidder if the Bidder is an Individual)
(Name of Partner if the Bidder is a Partnership)
(Name of Officer if the Bidder is a Corporation)

The above statements must be subscribed and sworn to before a notary public.

Subscribed and Sworn to this _____ day of _____, 2017

SEAL

Failure to complete and return this form may be considered sufficient reason for rejection of the bid.

HARPER COLLEGE, ILLINOIS
TAX COMPLIANCE AFFIDAVIT

_____, being first duly sworn,

deposes and says: that he is _____
(Partner, Officer, Owner, Etc.)

of _____.
(Consultant)

The individual or entity making the foregoing Proposals or bid certifies that he is not barred from contracting with Harper College because of any delinquency in the payment of any tax administered by the Department of Revenue unless the individual or entity is contesting such taxes, in accordance with the procedures established by the appropriate revenue act, The individual or entity making the Proposals or bid understands that making a false statement regarding delinquency in taxes is a Class A Misdemeanor and, may have other serious legal consequences.

(Name of Bidder if the Bidder is an Individual)
(Name of Partner if the Bidder is a Partnership)
(Name of Officer if the Bidder is a Corporation)

The above statements must be subscribed a sworn to before a notary public.

Subscribed and Sworn to this _____ day of _____, 2017

SEAL

Failure to complete and return this form may be considered sufficient reason for rejection of the bid.

CERTIFICATE OF COMPLIANCE
WITH ILLINOIS DRUG-FREE WORKPLACE ACT

_____, having 25 or more employees, does hereby certify pursuant to Section 3 of the *Illinois Drug-Free Workplace Act* (30ILCD580/3) that (he, she, it) shall provide a drug-free workplace for all employees engaged in the performance of work under the contract by complying with the requirements of the *Illinois Drug-Free Workplace Act* and, further certifies that (he, she, it) is not ineligible for award of this contract by reason of debarment for a violation of the *Illinois Drug-Free Workplace Act*.

Bidder by Authorized Agent

Date

Subscribed and sworn
before me this _____
day of _____, 2017.

(Notary Public)

Failure to complete and return this form may be considered sufficient reason for rejection of the bid.

CONTRACTOR'S CERTIFICATION

BID PROPOSAL

_____, as part of its bid on a contract for
(Name of Contractor)

Bid Q00909 Building M Fitness Equipment ___ to William Rainey Harper College,
(Owner)

hereby certifies that said contractor is not barred from bidding on the aforementioned contract as a result of a violation of either Section 33E or 33E-4 of Article 33E of Chapter 38 of the Illinois Revised Statutes.

By: _____
Authorized Agent of Contractor

Subscribed and sworn
before me this _____ day of _____, 2017

(Notary Public)

Failure to complete and return this form may be considered sufficient reason for rejection of the bid.

PUBLIC CONTRACTORS – WRITTEN SEXUAL HARASSMENT POLICY

_____, ("Contractor") having submitted a
(Name of Contractor)

bid/proposal for (title) _____"

to: Harper College, Community College District 512, Township High School District 211

hereby certifies that said Contractor has a written Sexual Harassment Policy in place in full compliance with 775 ILCS 5/2-105(A)(4) and confirms that it is in compliance with said statute.

By: _____
Authorized Agent of Contractor

Subscribed and sworn
before me this _____ day of _____, 2017.

(Notary Public

Failure to complete and return this form may be considered sufficient reason for rejection of the bid.